

ANALYTICAL REPORT

Job Number: 420-110512-1

SDG Number: Roscoe C.S.

Job Description: Sullivan County BOCES

For:

Sullivan County BOCES

6 Weirk Avenue

Liberty, NY 12754

Attention: Jesse Morrill



Meredith W Ruthven

Customer Service Manager

mruthven@envirotestlaboratories.com

10/03/2016

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

METHOD SUMMARY

Client: Sullivan County BOCES

Job Number: 420-110512-1

SDG Number: Roscoe C.S.

Description	Lab Location	Method	Preparation Method
Matrix: Water			
ICPMS Metals by 200.8	EnvTest	EPA 200.8 Rev.5.4	
200 Series Drinking Water Prep Determination Step	EnvTest		EPA 200

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

METHOD / ANALYST SUMMARY

Client: Sullivan County BOCES

Job Number: 420-110512-1

SDG Number: Roscoe C.S.

Method	Analyst	Analyst ID
EPA 200.8 Rev.5.4	Sirico, Derek	DS

SAMPLE SUMMARY

Client: Sullivan County BOCES

Job Number: 420-110512-1

SDG Number: Roscoe C.S.

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-110512-1	S29	Drinking Water	09/20/2016 0505	09/20/2016 1458
420-110512-2	S30	Drinking Water	09/20/2016 0508	09/20/2016 1458
420-110512-3	S31	Drinking Water	09/20/2016 0508	09/20/2016 1458
420-110512-4	S32	Drinking Water	09/20/2016 0508	09/20/2016 1458
420-110512-5	S33	Drinking Water	09/20/2016 0510	09/20/2016 1458
420-110512-6	S34	Drinking Water	09/20/2016 0510	09/20/2016 1458
420-110512-7	S35	Drinking Water	09/20/2016 0512	09/20/2016 1458
420-110512-8	S36	Drinking Water	09/20/2016 0512	09/20/2016 1458
420-110512-9	S37	Drinking Water	09/20/2016 0515	09/20/2016 1458
420-110512-10	S38	Drinking Water	09/20/2016 0515	09/20/2016 1458
420-110512-11	S39	Drinking Water	09/20/2016 0517	09/20/2016 1458
420-110512-12	S40	Drinking Water	09/20/2016 0517	09/20/2016 1458
420-110512-13	S41	Drinking Water	09/20/2016 0520	09/20/2016 1458
420-110512-14	S44	Drinking Water	09/20/2016 0527	09/20/2016 1458
420-110512-15	S45	Drinking Water	09/20/2016 0543	09/20/2016 1458
420-110512-16	S46	Drinking Water	09/20/2016 0543	09/20/2016 1458
420-110512-17	S47	Drinking Water	09/20/2016 0543	09/20/2016 1458
420-110512-18	S48	Drinking Water	09/20/2016 0548	09/20/2016 1458
420-110512-19	S49	Drinking Water	09/20/2016 0548	09/20/2016 1458
420-110512-20	S50	Drinking Water	09/20/2016 0548	09/20/2016 1458
420-110512-21	S51	Drinking Water	09/20/2016 0520	09/20/2016 1458
420-110512-22	S52	Drinking Water	09/20/2016 0525	09/20/2016 1458
420-110512-23	S53	Drinking Water	09/20/2016 0530	09/20/2016 1458
420-110512-24	S54	Drinking Water	09/20/2016 0530	09/20/2016 1458
420-110512-25	S55	Drinking Water	09/20/2016 0533	09/20/2016 1458
420-110512-26	S56	Drinking Water	09/20/2016 0533	09/20/2016 1458
420-110512-27	S57	Drinking Water	09/20/2016 0535	09/20/2016 1458
420-110512-28	S58	Drinking Water	09/20/2016 0535	09/20/2016 1458
420-110512-29	S59	Drinking Water	09/20/2016 0540	09/20/2016 1458
420-110512-30	S60	Drinking Water	09/20/2016 0540	09/20/2016 1458
420-110512-31	S61	Drinking Water	09/20/2016 0550	09/20/2016 1458
420-110512-32	S62	Drinking Water	09/20/2016 0550	09/20/2016 1458
420-110512-33	S63	Drinking Water	09/20/2016 0550	09/20/2016 1458
420-110512-34	S64	Drinking Water	09/20/2016 0550	09/20/2016 1458
420-110512-35	S65	Drinking Water	09/20/2016 0558	09/20/2016 1458
420-110512-36	S66	Drinking Water	09/20/2016 0558	09/20/2016 1458
420-110512-37	S67	Drinking Water	09/20/2016 0558	09/20/2016 1458
420-110512-38	F68	Drinking Water	09/20/2016 0450	09/20/2016 1458
420-110512-39	H69	Drinking Water	09/20/2016 0500	09/20/2016 1458
420-110512-40	H70	Drinking Water	09/20/2016 0602	09/20/2016 1458
420-110512-41	G71	Drinking Water	09/20/2016 0606	09/20/2016 1458
420-110512-42	G72	Drinking Water	09/20/2016 0606	09/20/2016 1458
420-110512-43	F73	Drinking Water	09/20/2016 0455	09/20/2016 1458
420-110512-44	F732	Drinking Water	09/20/2016 0455	09/20/2016 1458
420-110512-45	F682	Drinking Water	09/20/2016 0450	09/20/2016 1458
420-110512-46	S74	Drinking Water	09/20/2016 0527	09/20/2016 1458

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S29
Lab Sample ID: 420-110512-1

Date Sampled: 09/20/2016 0505
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0306		
Prep Method: 200			Date Prepared: 09/29/2016 1043		
Pb	11.5	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S30
Lab Sample ID: 420-110512-2

Date Sampled: 09/20/2016 0508
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 1504		
Prep Method: 200			Date Prepared: 09/29/2016 1043		
Pb	2.51	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S31
Lab Sample ID: 420-110512-3

Date Sampled: 09/20/2016 0508
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/30/2016 1507	
Prep Method: 200			Date Prepared:	09/29/2016 1043	
Pb	2.14	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S32
Lab Sample ID: 420-110512-4

Date Sampled: 09/20/2016 0508
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 1511		
Prep Method: 200			Date Prepared: 09/29/2016 1043		
Pb	2.29	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S33
Lab Sample ID: 420-110512-5

Date Sampled: 09/20/2016 0510
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 1515		
Prep Method: 200			Date Prepared: 09/29/2016 1043		
Pb	1.36	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S34
Lab Sample ID: 420-110512-6

Date Sampled: 09/20/2016 0510
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 1518		
Prep Method: 200			Date Prepared: 09/29/2016 1043		
Pb	3.47	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S35
Lab Sample ID: 420-110512-7

Date Sampled: 09/20/2016 0512
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 1522		
Prep Method: 200			Date Prepared: 09/29/2016 1043		
Pb	2.31	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S36
Lab Sample ID: 420-110512-8

Date Sampled: 09/20/2016 0512
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/30/2016 1525	
Prep Method: 200			Date Prepared:	09/29/2016 1043	
Pb	1.88	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S37
Lab Sample ID: 420-110512-9

Date Sampled: 09/20/2016 0515
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/30/2016 1536	
Prep Method: 200			Date Prepared:	09/29/2016 1043	
Pb	1.36	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S38
Lab Sample ID: 420-110512-10

Date Sampled: 09/20/2016 0515
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 1539		
Prep Method: 200			Date Prepared: 09/29/2016 1043		
Pb	1.90	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S39
Lab Sample ID: 420-110512-11

Date Sampled: 09/20/2016 0517
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 1543		
Prep Method: 200			Date Prepared: 09/29/2016 1043		
Pb	1.32	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S40
Lab Sample ID: 420-110512-12

Date Sampled: 09/20/2016 0517
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016	1546	
Prep Method: 200			Date Prepared: 09/29/2016	1043	
Pb	2.45	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S41
Lab Sample ID: 420-110512-13

Date Sampled: 09/20/2016 0520
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/30/2016 1550	
Prep Method: 200			Date Prepared:	09/29/2016 1043	
Pb	2.29	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S44
Lab Sample ID: 420-110512-14

Date Sampled: 09/20/2016 0527
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 1556		
Prep Method: 200			Date Prepared: 09/29/2016 1043		
Pb	1.89	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S45
Lab Sample ID: 420-110512-15

Date Sampled: 09/20/2016 0543
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016	1600	
Prep Method: 200			Date Prepared: 09/29/2016	1043	
Pb	1.59	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S46
Lab Sample ID: 420-110512-16

Date Sampled: 09/20/2016 0543
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 1603		
Prep Method: 200			Date Prepared: 09/29/2016 1043		
Pb	1.16	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S47
Lab Sample ID: 420-110512-17

Date Sampled: 09/20/2016 0543
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0428		
Prep Method: 200			Date Prepared: 09/29/2016 1043		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S48
Lab Sample ID: 420-110512-18

Date Sampled: 09/20/2016 0548
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 1610		
Prep Method: 200			Date Prepared: 09/29/2016 1043		
Pb	91.1 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S49
Lab Sample ID: 420-110512-19

Date Sampled: 09/20/2016 0548
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 1621		
Prep Method: 200			Date Prepared: 09/29/2016 1043		
Pb	37.0 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S50
Lab Sample ID: 420-110512-20

Date Sampled: 09/20/2016 0548
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 1624		
Prep Method: 200			Date Prepared: 09/29/2016 1043		
Pb	60.1 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S51
Lab Sample ID: 420-110512-21

Date Sampled: 09/20/2016 0520
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0450		
Prep Method: 200			Date Prepared: 09/29/2016 1139		
Pb	3.33	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S52
Lab Sample ID: 420-110512-22

Date Sampled: 09/20/2016 0525
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0504		
Prep Method: 200			Date Prepared: 09/29/2016 1139		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S53
Lab Sample ID: 420-110512-23

Date Sampled: 09/20/2016 0530
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/30/2016 0508	
Prep Method: 200			Date Prepared:	09/29/2016 1139	
Pb	1.06	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S54
Lab Sample ID: 420-110512-24

Date Sampled: 09/20/2016 0530
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0511		
Prep Method: 200			Date Prepared: 09/29/2016 1139		
Pb	6.79	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S55
Lab Sample ID: 420-110512-25

Date Sampled: 09/20/2016 0533
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0515		
Prep Method: 200			Date Prepared: 09/29/2016 1139		
Pb	19.9 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S56
Lab Sample ID: 420-110512-26

Date Sampled: 09/20/2016 0533
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0519		
Prep Method: 200			Date Prepared: 09/29/2016 1139		
Pb	1.69	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S57
Lab Sample ID: 420-110512-27

Date Sampled: 09/20/2016 0535
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0522		
Prep Method: 200			Date Prepared: 09/29/2016 1139		
Pb	1.45	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S58
Lab Sample ID: 420-110512-28

Date Sampled: 09/20/2016 0535
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0533		
Prep Method: 200			Date Prepared: 09/29/2016 1139		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S59
Lab Sample ID: 420-110512-29

Date Sampled: 09/20/2016 0540
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/30/2016 0537	
Prep Method: 200			Date Prepared:	09/29/2016 1139	
Pb	1.13	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S60
Lab Sample ID: 420-110512-30

Date Sampled: 09/20/2016 0540
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0540		
Prep Method: 200			Date Prepared: 09/29/2016 1139		
Pb	1.28	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S61
Lab Sample ID: 420-110512-31

Date Sampled: 09/20/2016 0550
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/30/2016 0544	
Prep Method: 200			Date Prepared:	09/29/2016 1139	
Pb	1.27	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S62
Lab Sample ID: 420-110512-32

Date Sampled: 09/20/2016 0550
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0547		
Prep Method: 200			Date Prepared: 09/29/2016 1139		
Pb	1.01	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S63
Lab Sample ID: 420-110512-33

Date Sampled: 09/20/2016 0550
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0551		
Prep Method: 200			Date Prepared: 09/29/2016 1139		
Pb	1.24	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S64
Lab Sample ID: 420-110512-34

Date Sampled: 09/20/2016 0550
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0554		
Prep Method: 200			Date Prepared: 09/29/2016 1139		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S65
Lab Sample ID: 420-110512-35

Date Sampled: 09/20/2016 0558
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0558		
Prep Method: 200			Date Prepared: 09/29/2016 1139		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S66
Lab Sample ID: 420-110512-36

Date Sampled: 09/20/2016 0558
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0602		
Prep Method: 200			Date Prepared: 09/29/2016 1139		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S67
Lab Sample ID: 420-110512-37

Date Sampled: 09/20/2016 0558
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0605		
Prep Method: 200			Date Prepared: 09/29/2016 1139		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: F68
Lab Sample ID: 420-110512-38

Date Sampled: 09/20/2016 0450
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0616		
Prep Method: 200			Date Prepared: 09/29/2016 1139		
Pb	2.34	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: H69
Lab Sample ID: 420-110512-39

Date Sampled: 09/20/2016 0500
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/30/2016 0620	
Prep Method: 200			Date Prepared:	09/29/2016 1139	
Pb	9.33	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: H70
Lab Sample ID: 420-110512-40

Date Sampled: 09/20/2016 0602
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0623		
Prep Method: 200			Date Prepared: 09/29/2016 1139		
Pb	2.88	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: G71
Lab Sample ID: 420-110512-41

Date Sampled: 09/20/2016 0606
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0627		
Prep Method: 200			Date Prepared: 09/29/2016 1254		
Pb	14.2	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: G72
Lab Sample ID: 420-110512-42

Date Sampled: 09/20/2016 0606
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0641		
Prep Method: 200			Date Prepared: 09/29/2016 1254		
Pb	88.7 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: F73
Lab Sample ID: 420-110512-43

Date Sampled: 09/20/2016 0455
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0645		
Prep Method: 200			Date Prepared: 09/29/2016 1254		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: F732
Lab Sample ID: 420-110512-44

Date Sampled: 09/20/2016 0455
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0649		
Prep Method: 200			Date Prepared: 09/29/2016 1254		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: F682
Lab Sample ID: 420-110512-45

Date Sampled: 09/20/2016 0450
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0659		
Prep Method: 200			Date Prepared: 09/29/2016 1254		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-110512-1
Sdg Number: Roscoe C.S.

Client Sample ID: S74
Lab Sample ID: 420-110512-46

Date Sampled: 09/20/2016 0527
Date Received: 09/20/2016 1458
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/30/2016 0703		
Prep Method: 200			Date Prepared: 09/29/2016 1254		
Pb	1.00 U	ug/L	1.00	1.00	1.0

DATA REPORTING QUALIFIERS

Client: Sullivan County BOCES

Job Number:
Sdg Number: Roscoe C.S.

Lab Section	Qualifier	Description
Metals	g	Result fails applicable NYS drinking water standards
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Certification Information

Client: Sullivan County BOCES

Job Number:

Sdg Number: Roscoe C.S.

The following analytes are Not Part of the ELAP scope of accreditation:

Sulfur, Tungsten, Silicon, Bicarbonate Alkalinity, 7 Day BOD 5210C, 28 Day BOD, Soluble BOD, Carbon Dioxide, Carbonate Alkalinity, CBOD Soluble, Chlorine, Cyanide (WAD), Ferrous Iron, Ferric Iron, Total Nitrogen, Total Organic Nitrogen, Dissolved Oxygen, pH, Phenolphthalien Alkalinity, Solids (Fixed), Solids (Percent), Solids (Percent Moisture) , Solids (Percent Volatile), Solids (Volatile Suspended), Temperature, TKN (Soluble), Total Inorganic Carbon, Volatile Acids as Acetic Acid, 2-Aminopyridine, 3-Picoline, 1-Methyl-2-pyrrilidinone, Aziridine, Dimethyl sulfoxide, 1-Chlorohexane, Iron Bacteria, Salmonella, & Sulfur Reducing Bacteria.

The following analytes are Not Part of ELAP Potable Water scope of accreditation:

Cobalt (200.7, 200.8), Tin (200.7), Strontium (200.7), Gold (200.7), Platinum (200.7), Palladium (200.7), Titanium (200.7), Phosphorus (365.3), Nitrate-Nitrite (10-107-4-1C, 353.2), m-Xylene & p-Xylene (502.2, 524), Naphthalene (502.2), o-Xylene (502.2, 524), & Fecal Coliform (9222D).

The following analytes are Not Part of ELAP Solid and Hazardous Waste scope of accreditation:

Ammonia (SM 4500NH3G), TKN (351.2), Phosphorus (365.3), 1,2-Dichloro-1,1,2-trifluoroethane (8260), & Chlorodifluoromethane (8260).

The following analytes are Not Part of ELAP Non Potable Water scope of accreditation:

Dissolved Organic Carbon (5310C), Mecoprop (8151A), & MCPA (8151A).

Definitions and Glossary

Client: Sullivan County BOCES

Job Number:

Sdg Number: Roscoe C.S.

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.



EnviroTest Laboratories, Inc.

CHAIN OF CUSTODY

1/3

315 Fullerton Avenue
Newburgh, NY 12550
TEL (845) 562-0890
FAX (845) 562-0841

CUSTOMER SC BOGES
 ADDRESS 6 Wierck Ave.
Li. Berky, NY 12754
 CITY/STATE/ZIP
 CONTACT Jesse Morill PHONE (845) 295-4028
 PROJECT Boscol C.S.
 LOCATION
 PRJ NUMBER/P.O.#

REPORT TYPE
 STANDARD ISRA
 NJ REG A B
 NYASP OTHER

TURNAROUND
 NORMAL
 QUICK
 VERBAL

REPORT # (Lab Use Only)
110512

NOTE: SAMPLE TEMPERATURE UPON RECEIPT MUST BE 4°C ± 2C.
 SAMPLE TEMP. 23.5 °C R#3

SAMPLE REC'D. ON ICE Y N

pH CHECK Y N

CHLORINE RESIDUAL Y N

NY PUBLIC WATER SUPPLIES

SOURCE ID
 ELRP TYPE
 FEDERAL ID

MATRIX: DW=DRINKING WATER S=SOIL O=OIL WW=WASTE WATER
 SL=SLUDGE GW=GROUND WATER

Sample #	DATE	TIME	SAMPLING	COMP (Y/N)	GRAB (Y/N)	MATRIX	Client I.D.
ANALYSIS REQUESTED <u>LEAD</u>							
250ml P. NaOH/ZnAcc							
2oz Glass							
8oz Glass							
125ml Plastic Sterile							
250ml Plastic							
Liter Plastic H2SO4							
Liter Plastic							
250ml Plastic NaOH							
250ml Plastic HNO3							
Liter Amber Plain							
250ml Amber H2SO4							
Liter Glass HCL							
40ml Glass HCL							
Total # of containers							

SAMPLES SUBMITTED FOR ANALYSIS WILL BE SUBJECT TO THE ENVIROTEST TERMS AND CONDITIONS OF SALE (SHORT FORM) UNLESS ALTERNATE TERMS ARE AGREED IN WRITING.

RELINQUISHED BY Jesse Morill SCBOGES COMPANY
 DATE 9/20/16 TIME 1458

SAMPLED BY TOM LAVINSKI RCSI COMPANY
 DATE 9/20/16 TIME 1458

RELINQUISHED BY Jesse Morill SCBOGES COMPANY
 DATE 9/20/16 TIME 1458

RECEIVED BY Jesse Morill SCBOGES COMPANY
 DATE 9/20/16 TIME 1458

RECEIVED BY Jesse Morill SCBOGES COMPANY
 DATE 9/20/16 TIME 1458

RECEIVED BY Jesse Morill SCBOGES COMPANY
 DATE 9/20/16 TIME 1458

COMMENTS

Attached
See

110512

2/3

sample #	date	time	matrix	client ID	250 ml HNO3	analysis requested
1		S29	20sep16	0505	Roscoe CSD	LEAD
2		S30		0508	Roscoe CSD	LEAD
3		S31		↓	Roscoe CSD	LEAD
4		S32		↓	Roscoe CSD	LEAD
5		S33		0510	Roscoe CSD	LEAD
6		S34		0510	Roscoe CSD	LEAD
7		S35		0512	Roscoe CSD	LEAD
8		S36		0512	Roscoe CSD	LEAD
9		S37		0515	Roscoe CSD	LEAD
10		S38		0515	Roscoe CSD	LEAD
11		S39		0517	Roscoe CSD	LEAD
12		S40		0517	Roscoe CSD	LEAD
13		S41		0520	Roscoe CSD	LEAD
1		S42			Roscoe CSD	LEAD
		S43			Roscoe CSD	LEAD
4		S44	20sep16	0527	Roscoe CSD	LEAD
13		S45		0543	Roscoe CSD	LEAD
6		S46		↓	Roscoe CSD	LEAD
17		S47		↓	Roscoe CSD	LEAD
8		S48		0548	Roscoe CSD	LEAD
19		S49		↓	Roscoe CSD	LEAD
10		S50		↓	Roscoe CSD	LEAD
21		S51		0520	Roscoe CSD	LEAD
12		S52		0505	Roscoe CSD	LEAD
13		S53		0530	Roscoe CSD	LEAD
14		S54		0530	Roscoe CSD	LEAD
15		S55		0533	Roscoe CSD	LEAD
16		S56		0533	Roscoe CSD	LEAD
17		S57		0535	Roscoe CSD	LEAD
18		S58		0538	Roscoe CSD	LEAD
19		S59		0540	Roscoe CSD	LEAD
0		S60		0540	Roscoe CSD	LEAD
11		S61		0550	Roscoe CSD	LEAD
12		S62		↓	Roscoe CSD	LEAD
13		S63		↓	Roscoe CSD	LEAD
14		S64		↓	Roscoe CSD	LEAD


Relinquished By: *[Signature]*

Received By: *[Signature]* ETC 9/20/16 1458

110512

3/3

	sample #	date	time	matrix	client ID	250 ml HNO3	analysis requested
35	S65	9/25/16	0508		Roscoe CSD		LEAD
36	S66	↓	↓		Roscoe CSD		LEAD
37	S67		↓		Roscoe CSD		LEAD
38	F68		0450		Roscoe CSD		LEAD
39	H69		0500		Roscoe CSD		LEAD
40	H70		0602		Roscoe CSD		LEAD
41	G71		0606		Roscoe CSD		LEAD
42	G72		0606		Roscoe CSD		LEAD
43	F73		0755		Roscoe CSD		
44	F732		0955		Roscoe CSD		
45	F682		0450		Roscoe CSD		
46	S74	↓	0527		Roscoe CSD		
					Roscoe CSD		
					Roscoe CSD		
					Roscoe CSD		
					Roscoe CSD		
					Roscoe CSD		
					Roscoe CSD		
					Roscoe CSD		
					Roscoe CSD		
					Roscoe CSD		
					Roscoe CSD		

Relinquished By: 

Received By: J. Moran ETC 9/20/16 1458

LOGIN SAMPLE RECEIPT CHECK LIST

Client: Sullivan County BOCES

Job Number: 420-110512-1

SDG Number: Roscoe C.S.

Login Number: 110512

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	
Cooler Temperature is recorded.	True	23.5 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	False	
If false, was sample received on ice within 6 hours of collection.	False	
Based on above criteria cooler temperature is acceptable.	True	Method does not require cooling
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	